

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13	"H04L29/12".ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:26
S2	1277	H04L029/12.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:26
S3	185222	(snoop\$3 or sniff\$3 or detect\$3 or scan\$3) near3 (packet or frame or address or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:30
S4	40239	(calculat\$3 or determin\$3 or generat\$3 or deduc\$3 or concat\$3) near3 (mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:32
S5	2679	(709/228).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2009/02/11 16:41
S6	177284	(calculat\$3 or determin\$3 or generat\$3 or deduc\$3 or concat\$3) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:42
S7	54336	(assign\$3) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:44
S8	114	(CHAMPEL near2 MARY-LUC or FLEURY near2 JEAN-FRANCOIS or STRAUB near2 GILLES).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:47
S9	11096	(THOMSON LICENSING) .as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 16:47
S10	131	S6.bi. and (S8 or S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 17:44
S11	28	S6.clm. and (S8 or S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 17:44
S12	27173495	@ad<"20030625" or @rlad<"20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 17:47

S13	19	S6.clm. and (S8 or S9) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/11 17:47
S14	1	("5854901").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2009/02/12 17:24
S16	6337	(sniff\$3 or snoop\$3 or listen \$3 or promiscu\$5) near5 (packet or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:39
S17	55477	(source or sender or first) near2 (address) with (destination or target or recipient or receiver or second) near2 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:41
S18	0	("not exor") with (mask or network near2 (characteristic or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:43
S19	0	("not exor") with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:43
S20	0	("not" near2 exor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:44
S21	19	"not" near2 (exor or "xor" or "exclusive or")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:44
S22	832584	(mask or network near2 (characteristic or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:46
S24	481	(max\$4 or highest or largest or greatest) near2 (number or address) with (most significant bit or msb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:48
S25	920	address resolution protocol near4 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:49
S27	4779	address resolution protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:50
S28	3439	internet control message protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:51

S29	84304	echo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:51
S32	186334	assign\$4 near4 (address or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:52
S34	1229597	(\$2crement\$3 or \$2scend\$3 or reduc\$3 or increas\$3 or decreas\$3) near4 (address or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:54
S35	901	(most significant bit or msb) near2 (differ\$3 or distin\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:55
S36	0	S16 and S17 and S22 and S24 and S27 and S28 and S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:56
S37	0	S17 and S22 and S24 and S27 and S28 and S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:57
S39	22	S16 and S17 and S22 and S27 and S28 and S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:58
S40	207139	(max\$4 or highest or largest or greatest) near2 (number or address or bit or msb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:59
S41	15	S16 and S17 and S22 and S40 and S27 and S28 and S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 17:59
S42	215504	(snoop\$3 or sniff\$3 or detect \$3 or scan\$3 or listen\$3 or captur\$3) near3 (packet or frame or address or message or network near2 traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/12 18:23
S44	187055	(calculat\$3 or determin\$3 or generat\$3 or creat\$3) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:10
S45	1470273	(calculat\$3 or determin\$3 or generat\$3 or produc\$4 or comput\$5) near3 (value or mask or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:11
S46	268173	(assign\$4 or acqui\$6 or tak \$3 or us\$3) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:13

S47	225182	(snoop\$3 or sniff\$3 or detect\$3 or scan\$3 or listen\$3 or captur\$3 or promiscu\$7 or lurk\$3) near3 (packet or frame or address or message or traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:14
S49	484417	(concat\$7 or together or add\$5 or join\$3 or plus or append\$3 or affix\$5 or prefix\$3 of suffix\$3) near3 (value or mask or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:17
S52	532830	(max\$4 or highest or largest or greatest) near2 (value or number or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:20
S53	1153106	(reduc\$4 or decrement\$6 or decreas\$3 of subtract\$3 or lower\$3) near2 (value or number or address or result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:21
S54	571055	(reduc\$4 or decrement\$6 or decreas\$3 of subtract\$3 or lower\$3) near3 (value or mask or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:22
S55	67985	(source or sender or first) near3 (address) with (destination or target or recipient or receiver or second) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:23
S57	356872	(least or smallest or lowest) near4 (value or mask or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:24
S59	64685	(value or mask or characteristic) near4 (subnet or \$4network or sub net)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:26
S60	27173914	@ad<"20030625" or @rlad<"20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:27
S61	102	S44 and S45 and S46 and S47 and S49 and S52 and S53 and S54 and S55 and S57 and S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:27
S62	93021	(least significant) or (significant bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:33
S63	83	S44 and S45 and S46 and S47 and S49 and S52 and S53 and S54 and S55 and S57 and S59 and S60 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 10:33

S67	10747	((calculat\$3 or determin\$3 or generat\$3 or creat\$3 or assign\$4) near3 (address)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:04
S68	2684	(709/228).OCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2009/02/13 11:04
S69	15	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:04
S70	446	S52 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:06
S71	50419	(least significant bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:07
S72	17	S52 and S68 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:07
S73	53	S52 and S67 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:09
S74	1352	((calculat\$3 or determin\$3 or generat\$3 or creat\$3 or assign\$4) near3 (address) with network).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:11
S75	3	S52 and S74 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:11
S76	6	(("4930123") or ("5287535") or ("5956391") or ("6118771") or ("6128664") or ("20060092860")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2009/02/13 11:29
S77	17	S52 and S67 and S71 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:41
S78	77045	(source or sender or first) near3 (address) with (destination or target or recipient or receiver or second) near3 (address) or two addresses	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:59
S79	16	S52 and S67 and S71 and S47 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 11:59

S80	14	S52 and S67 and S71 and S47 and S78 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 12:00
S81	206	(reduc\$4 or decrement\$6 or decreas\$3 of subtract\$3 or lower\$3) near4 (least significant bit) near4 (value or mask or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 12:08
S82	1	(reduc\$4 or decrement\$6 or decreas\$3 of subtract\$3 or lower\$3) near4 (least significant bit) near4 (value or mask or characteristic) near4 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 12:09
S83	6	S81 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 12:10
S84	1277	H04L029/12.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 13:47
S85	0	S81 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 13:47
S86	0	S84 and S81 and S78 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 13:48
S87	36	S84 and S78 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 13:48
S88	0	S84 and S78 and S71 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 13:48
S89	153	(decrement\$6) near3 (mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:42
S90	92	S89 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:43
S91	24198	((calculat\$3 or determin\$3 or generat\$3 or creat\$3 or assign\$4) near3 (address) with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:43
S92	219439	(calculat\$3 or determin\$3 or generat\$3 or creat\$3 or assign\$4) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:44

S93	21	S89 and S71 and S92 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:44
S94	1670401	network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:45
S95	4641	(mask) near4 (subnet or \$4network or sub net)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:45
S96	5	S89 and S71 and S92 and S95 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 15:46
S97	17	(decrement\$6) near4 (address) near4 (subnet or \$4network or sub net)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 16:07
S98	0	S97 and S71 and S92 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 16:08
S99	1	("5,920,886").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2009/02/13 16:59
S100	50680	(least significant (bit or one or "1"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:07
S101	17	(decrement\$6) near4 (address or mask) near4 (subnet or \$4network or sub net)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:08
S102	0	S101 and S100 and S92 and S95 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:09
S103	0	S101 and S100 and S92 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:09
S104	202	("least significant 1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:11
S105	50680	(least significant (bit or one) or "least significant 1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:11

S106	172	(decrement\$6) near4 (mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:12
S107	23	(S101 or S106) and S105 and S92 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/13 17:13

2/14/2009 6:46:14 PM

H:\Documents and Settings\jiso\My Documents\EAST\Workspaces\10519588 - 2.wsp